


# HOLLON

SAFE COMPANY



2015

CATALOG SAFES



# TABLE OF CONTENTS

UL LISTED TL-15	3
UL LISTED TL-30X6	4
HOME SAFES	5
OFFICE SAFES	6
FIRE & BURGLARY SAFES	8
DEPOSITORY SAFES	10
FLOOR SAFES	13
ONE-HOUR DATA SAFES	14
BLACK HAWK SERIES GUN SAFES	15
TL-15 GUN SAFE	16
REPUBLIC GUN SAFES	17
ELECTRONIC KEYPADS AND LOCKS	19
DIAL LOCKS	21
PARTS LIST AND MOVING EQUIPMENT	22
WARRANTY	23

# HOLLON

SAFE COMPANY



## A MESSAGE FROM THE PRESIDENT

Meet Zack Gilmore, Head Honcho of Hollon

Let me welcome you to Hollon Safe – a different kind of safe company. We make higher quality safes (they exceed industry standards for design, strength and durability) than others on the market ... yet our prices are 20% to 50% less than our competitors'. Much of these savings are possible because we sell directly to our dealers ... thus bypassing the markup from a "middle man." To sweeten the deal, we also offer free shipping when you buy six or more safes.

It should be no surprise, then, why we have been one of the fastest-growing safe manufacturers in the nation.

I started Hollon Safe in 2007, but the idea came to me several years earlier. I realized there was a need for a company like ours when I was still a locksmith.

I was tired of some companies that were selling pricey safes that were little more than useless hunks of metal or even plastic... and others that sold quality safes – but at prices I considered unreasonably high.

The notion occurred to me that someone had to do something about the situation – and that someone was me! I had purchased my first locksmith shop and dedicated myself to the trade. As a result, I was able to increase sales by 300% in only four years. I then sold the business at a hefty enough profit to start Hollon Safe.

If there's one thing my dad taught me, it's to do your best ... be your best ... and offer your best. In fact, "Only the best" was his favorite saying – and the way he did business. And it's the same philosophy upon which I've built Hollon Safe Co. (By the way, Dad was born in the back of a flower shop, and grew up to become one of the top florists in the world during 1970s and early '80s. That's pretty impressive, and I learned a lot about business from him ... especially how to treat customers.)

We are a family-owned business ... and we treat our customers like extended family. We also have a heart for others ... which is why we donate 10% of our profits to charity.

So, again ... welcome. Feel free to make yourself at home and take a look around. I know you'll be happy with what Hollon Safe has to offer – quality you can measure at a price that won't break your bank.

Sincerely,  
Zack Gilmore

# UL LISTED TL-15

America's fastest growing safe company



(SINGLE LOCK)

## PM-1014



Height	Width	Deep	(Inches)
16	19 <sup>5</sup> / <sub>8</sub>	19	Exterior
10 <sup>1</sup> / <sub>4</sub>	14	11	Interior

Weight: **450 lbs.**

(SINGLE LOCK)

## PM-1814



Height	Width	Deep	(Inches)
25	19 <sup>5</sup> / <sub>8</sub>	19	Exterior
18	14	11	Interior

Weight: **490 lbs.**

(SINGLE OR TWIN DIAL AVAILABLE)

## PM-2819



Height	Width	Deep	(Inches)
33 <sup>1</sup> / <sub>2</sub>	24	22 <sup>1</sup> / <sub>2</sub>	Exterior
28	18 <sup>1</sup> / <sub>2</sub>	14 <sup>1</sup> / <sub>2</sub>	Interior

Weight: **1060 lbs.**

(SINGLE OR TWIN DIAL AVAILABLE)

## PM-5826

Height	Width	Deep	(Inches)
63	33	26 <sup>1</sup> / <sub>2</sub>	Exterior
58	26	18 <sup>1</sup> / <sub>2</sub>	Interior

Weight: **2,380 lbs.**

### COMES STANDARD WITH SINGLE DIAL



With American and Global Parts

- 2 Hour Fire Resistant Factory Tested
- Single Lock
- Dual Lock \*Upgrade available
- Special Design Burglary Resistant Handle
- UL listed Hollon dial lock.
- Glass re-locker
- Hard plate
- Bolt down hole
- Electronic Lock available upon request for additional cost
- Highly Compressed Proprietary Concrete Mixture
- Standard Color Battleship Grey

**This is the TL-15 rated safe that thinks it's a TL-30.** Not only does it have similar features, it has far exceeded every TL-15 test we've put it through. And that's some testing.

This TL-15 withstands the most sophisticated burglar attacks. Our team of experts has punished this baby with everything short of dynamite. They've gone at it with sledgehammers, pickaxes, crowbars and pry bars, power saws, chisels, drills and rotating disc cutters ... with no luck.

As if that's not enough, this offers added protection against high-intensity fires. That's right ... this TL-15 has passed our Two Hour, 350° F Fire Test Certification. We're talking forest fire strength.

# UL LISTED TL-30X6

NEW PRODUCT LIMITED INVENTORY! Call for more Information.

UL LISTED TL30X6

## JJX6-2424

Height	Width	Deep	(Inches)
31½	31	29½	Exterior
24¼	24	21½	Interior

Weight: 2 000 lbs.



UL LISTED TL30X6

## JJX6-5629

Height	Width	Deep	(Inches)
63	35½	31½	Exterior
55½	28¼	23½	Interior

Weight: 4 100 lbs.



**HOLLON**  
SAFE COMPANY

www.hollonsafe.com 1 888 455-2337



# HOME SAFES

America's fastest growing safe company



(DIAL LOCK)

**HS-310D**

(ELECTRONIC)

**HS-310E**

Height	Width	Deep	(Inches)
<b>12<sup>1</sup>/<sub>8</sub></b>	<b>16<sup>1</sup>/<sub>2</sub></b>	<b>14</b>	Exterior
8	12 <sup>1</sup> / <sub>3</sub>	9 <sup>2</sup> / <sub>7</sub>	Interior
Weight: <b>79 lbs.</b>			
Cubic Feet <b>0.62</b>			

(DIAL LOCK)

**HS-360D**

(ELECTRONIC)

**HS-360E**

Height	Width	Deep	(Inches)
<b>14<sup>1</sup>/<sub>8</sub></b>	<b>19<sup>1</sup>/<sub>4</sub></b>	<b>16<sup>3</sup>/<sub>4</sub></b>	Exterior
9 <sup>2</sup> / <sub>7</sub>	15	12	Interior
Weight: <b>121 lbs.</b>			
Cubic Feet <b>0.94</b>			

(DIAL LOCK)

**HS-500D**

(ELECTRONIC)

**HS-500E**

Height	Width	Deep	(Inches)
<b>19<sup>3</sup>/<sub>4</sub></b>	<b>13<sup>3</sup>/<sub>4</sub></b>	<b>16<sup>3</sup>/<sub>4</sub></b>	Exterior
15	9 <sup>2</sup> / <sub>7</sub>	12	Interior
Weight: <b>126 lbs.</b>			
Cubic Feet <b>0.94</b>			



**30ft**  
impact  
rated



- Two-hour KSG 4500 rated for 1750 degrees fire safe.
- 30 foot impact rated.
- Extra thick body and door construction for added strength and appearance.
- Choice of electronic keypad or dial with key.
- 2-Active locking bolts PLUS fixed hinge side bolts.
- One removable shelf (HS-500 model only).
- One anchoring hole. (Bottom)
- Bolting hardware included

**Maximum protection from fire and water.** Hollon Home Safes offer a full 100% more fire protection than the average home safe on the market today. Thicker walls... thicker doors ... and a grooved door seal promise a no-holds-barred defense against fire and water. Tested at a blazing 2-hour KSG 1750° F external temperature, this safe is still able to maintain an internal temp of only 350° F. To top it off, it's also 30-foot impact rated. This is one tough safe to crack.

# OFFICE SAFES

As hard to kill as "The Terminator"

2hr  
protection

## (ELECTRONIC) HS-610E



Height	Width	Deep	(Inches)
21 <sup>3</sup> / <sub>4</sub>	17 <sup>5</sup> / <sub>7</sub>	18 <sup>1</sup> / <sub>6</sub>	Exterior
16 <sup>3</sup> / <sub>5</sub>	12 <sup>2</sup> / <sub>3</sub>	12 <sup>1</sup> / <sub>5</sub>	Interior
Weight: <b>176 lbs.</b>			
Cubic Feet <b>1.5</b>			



## (ELECTRONIC) HS-750E



Height	Width	Deep	(Inches)
27	20 <sup>6</sup> / <sub>7</sub>	20	Exterior
21 <sup>1</sup> / <sub>4</sub>	15 <sup>1</sup> / <sub>3</sub>	13 <sup>4</sup> / <sub>7</sub>	Interior
Weight: <b>297 lbs.</b>			
Cubic Feet <b>2.43</b>			



## (ELECTRONIC) HS-880E



Height	Width	Deep	(Inches)
32	23 <sup>2</sup> / <sub>9</sub>	20	Exterior
26 <sup>2</sup> / <sub>9</sub>	17 <sup>5</sup> / <sub>9</sub>	13 <sup>4</sup> / <sub>7</sub>	Interior
Weight: <b>374 lbs.</b>			
Cubic Feet <b>3.61</b>			



## (ELECTRONIC) HS-1000E



Height	Width	Deep	(Inches)
36 <sup>1</sup> / <sub>2</sub>	23 <sup>5</sup> / <sub>8</sub>	21	Exterior
30 <sup>5</sup> / <sub>6</sub>	17 <sup>5</sup> / <sub>9</sub>	14 <sup>1</sup> / <sub>6</sub>	Interior
Weight: <b>440 lbs.</b>			
Cubic Feet <b>4.4</b>			



1700°F  
2hr  
protection

30ft  
impact  
rated

  
Electronic

  
Water  
resistant

  
Extra  
Thick

- 1 Inch Bolts
- 3-way locking chrome bolt work.
- Interior adjustable shelves in all models.
- Interior drawer (except HS-610 model).
- Door detente device automatically locks safe.
- Electronic keypad upgrade on all models.
- Recessed curvature provides virtually airtight construction preventing smoke damage.
- Water resistant.
- Anchor bolt for bolting safes to the floor on all models except HS-1750E.

### As hard to kill as "The Terminator"

Hollon Office Safes are ultimate protection machines... manufactured with state-of-the-art technology and craftsmanship to provide the best protection of your documents and valuables against the threat of fire and burglary.

Just look at these features:

- Rated for 2 full hours at 1700° F outside, these safes refused to heat up past 350° F on the inside.
- Survived the KSG 30-foot impact test that simulates falling from a collapsing second story onto concrete.
- Bolt-down hole and hardware are included to add burglary resistance to the already heavy duty bolt work.

These elite safes are practically unstoppable.

**HOLLON**  
SAFE COMPANY

www.hollonsafe.com 1 888 455-2337

# OFFICE SAFES

As hard to kill as "The Terminator"

2hr  
protection

(ELECTRONIC)  
**HS-1200E**



Height	Width	Deep	(Inches)
44	27 <sup>5</sup> / <sub>9</sub>	25	Exterior
37 <sup>1</sup> / <sub>5</sub>	20 <sup>6</sup> / <sub>7</sub>	18 <sup>1</sup> / <sub>9</sub>	Interior
Weight: <b>572 lbs.</b>			
Cubic Feet <b>8.13</b>			



(ELECTRONIC)  
**HS-1400E**



Height	Width	Deep	(Inches)
52	27 <sup>5</sup> / <sub>9</sub>	25	Exterior
45	20 <sup>6</sup> / <sub>7</sub>	18 <sup>1</sup> / <sub>9</sub>	Interior
Weight: <b>704 lbs.</b>			
Cubic Feet <b>9.85</b>			



(ELECTRONIC)  
**HS-1600E**



Height	Width	Deep	(Inches)
59 <sup>3</sup> / <sub>4</sub>	31 <sup>1</sup> / <sub>2</sub>	25	Exterior
53	24 <sup>4</sup> / <sub>5</sub>	18 <sup>1</sup> / <sub>9</sub>	Interior
Weight: <b>902 lbs.</b>			
Cubic Feet <b>13.76</b>			



(ELECTRONIC)  
**HS-1750E**



Height	Width	Deep	(Inches)
63 <sup>1</sup> / <sub>2</sub>	45 <sup>5</sup> / <sub>7</sub>	25	Exterior
56 <sup>6</sup> / <sub>9</sub>	38 <sup>4</sup> / <sub>7</sub>	18 <sup>1</sup> / <sub>9</sub>	Interior
Weight: <b>1,650 lbs.</b>			
Cubic Feet <b>23</b>			



1700°F  
2hr  
protection

30ft  
impact  
rated

Electronic

Water  
resistant

Extra  
Thick

- 1 Inch Bolts
- 3-way locking chrome bolt work.
- Interior adjustable shelves in all models.
- Interior drawer (except HS-610 model).
- Door detente device automatically locks safe.
- Electronic keypad upgrade on all models.
- Recessed curvature provides virtually airtight construction preventing smoke damage.
- Water resistant.
- Anchor bolt for bolting safes to the floor on all models except HS-1750E.

### As hard to kill as "The Terminator"

Hollon Office Safes are ultimate protection machines... manufactured with state-of-the-art technology and craftsmanship to provide the best protection of your documents and valuables against the threat of fire and burglary.

Just look at these features:

- Rated for 2 full hours at 1700° F outside, these safes refused to heat up past 350° F on the inside.
- Survived the KSG 30-foot impact test that simulates falling from a collapsing second story onto concrete.
- Bolt-down hole and hardware are included to add burglary resistance to the already heavy duty bolt work.

These elite safes are practically unstoppable.



# FIRE & BURGLARY SAFES

Extreme protection from extreme attacks



(DIAL LOCK)  
**FB-450C**



(ELECTRONIC)  
**FB-450E**



Height	Width	Deep	(Inches)
<b>17<sup>5</sup>/<sub>7</sub></b>	<b>20</b>	<b>20<sup>1</sup>/<sub>2</sub></b>	Exterior
11 <sup>2</sup> / <sub>3</sub>	14	13	Interior
Weight: <b>242 lbs.</b>			
Cubic Feet <b>1.23</b>			

(DIAL LOCK)  
**FB-685C**



(ELECTRONIC)  
**FB-685E**



Height	Width	Deep	(Inches)
<b>27</b>	<b>21</b>	<b>20<sup>1</sup>/<sub>2</sub></b>	Exterior
21	15	13	Interior
Weight: <b>354 lbs.</b>			
Cubic Feet <b>2.36</b>			




(DIAL LOCK)  
**FB-845C**



(ELECTRONIC)  
**FB-845E**



Height	Width	Deep	(Inches)
<b>33<sup>1</sup>/<sub>4</sub></b>	<b>21</b>	<b>22<sup>1</sup>/<sub>2</sub></b>	Exterior
27 <sup>1</sup> / <sub>4</sub>	15	15 <sup>2</sup> / <sub>7</sub>	Interior
Weight: <b>440 lbs.</b>			
Cubic Feet <b>3.63</b>			



- 1.5 Inch Bolts
- (2–5) moving front bolt.
- 1 vertical locking bar.
- 1 top moving bolt.
- 1 bottom moving bolt.
- Adjustable shelves.
- 1 Anchor bolt hole.
- Bolt down hardware.
- 2 hour fireproof.
- Tri-spoke Handle.
- Glass re-locker (except FB-450).
- Heavy duty vault hinge.

## Extreme protection from extreme attacks

Resistant to extreme fire and burglary attacks, these hardcore safes have passed a grueling test – 2 hours of fire at an external temperature of 1700° F, and a 350° F internal temp. Engineered with strong burglary resistance, heavy duty hinges and a unique Hollon feature – a 1-inch-thick hinge side locking bar that extends from the top to the bottom of the door. These models are ranked between our Office Safe series and our Commercial FB series. Comes with your choice of a standard UL listed Group II Dial lock or Electronic keypad.

**HOLLON**  
SAFE COMPANY

www.hollonsafe.com 1 888 455-2337

# FIRE & BURGLARY SAFES

Extreme protection from extreme attacks

 **2hr**  
protection

WIDE (DIAL LOCK)  
**FB-845WC**



WIDE (ELECTRONIC)  
**FB-845WE**



Height	Width	Deep	(Inches)
<b>33<sup>1</sup>/<sub>4</sub></b>	<b>28</b>	<b>29</b>	Exterior
27 <sup>1</sup> / <sub>4</sub>	22	21 <sup>1</sup> / <sub>2</sub>	Interior
Weight: <b>644 lbs.</b>			
Cubic Feet <b>7.6</b>			

(DIAL LOCK)  
**FB-1054C**



(ELECTRONIC)  
**FB-1054E**



Height	Width	Deep	(Inches)
<b>41<sup>1</sup>/<sub>2</sub></b>	<b>28</b>	<b>29</b>	Exterior
35 <sup>1</sup> / <sub>2</sub>	22	21 <sup>1</sup> / <sub>2</sub>	Interior
Weight: <b>748 lbs.</b>			
Cubic Feet <b>9.71</b>			

(DIAL LOCK)  
**FB-1505C**





(ELECTRONIC)  
**FB-1505E**




Height	Width	Deep	(Inches)
<b>59<sup>1</sup>/<sub>4</sub></b>	<b>28</b>	<b>29</b>	Exterior
53 <sup>2</sup> / <sub>9</sub>	22	21 <sup>1</sup> / <sub>2</sub>	Interior
Weight: <b>1,012 lbs.</b>			
Cubic Feet <b>14.51</b>			

 **1750°F**  
**2hr**  
protection

  
Electronic  
or Mechanic

  
Adjustable  
shelves

**1**   
Anchor bolt hole

- 1.5 Inch Bolts
- (2–5) moving front bolt.
- 1 vertical locking bar.
- 1 top moving bolt.
- 1 bottom moving bolt.
- Adjustable shelves.
- 1 Anchor bolt hole.
- Bolt down hardware.
- 2 hour fireproof.
- Tri-spoke Handle.
- Glass re-locker (except FB-450).
- Heavy duty vault hinge.

## Extreme protection from extreme attacks

Resistant to extreme fire and burglary attacks, these hardcore safes have passed a grueling test – 2 hours of fire at an external temperature of 1700° F, and a 350° F internal temp. Engineered with strong burglary resistance, heavy duty hinges and a unique Hollon feature – a 1-inch-thick hinge side locking bar that extends from the top to the bottom of the door. These models are ranked between our Office Safe series and our Commercial FB series. Comes with your choice of a standard UL listed Group II Dial lock or Electronic keypad.

# DEPOSITORY SAFES

Put a dead stop to theft or shrinkage – internal or external



With American  
and Global Parts

(KEY LOCK)  
**HDS-01K**



Height	Width	Deep	(Inches)
12	6	8	Exterior
11 <sup>3</sup> / <sub>4</sub>	5 <sup>1</sup> / <sub>2</sub>	5	Interior

Weight: **24 lbs.**

(KEY LOCK)  
**HDS-02K**



Height	Width	Deep	(Inches)
8	6	12	Exterior
7 <sup>3</sup> / <sub>4</sub>	5 <sup>3</sup> / <sub>4</sub>	9	Interior

Weight: **24 lbs.**

(KEY LOCK)  
**HDS-03K**



Height	Width	Deep	(Inches)
12	8	10	Exterior
11 <sup>3</sup> / <sub>4</sub>	7 <sup>3</sup> / <sub>4</sub>	7	Interior

Weight: **31 lbs.**

(DIAL LOCK)  
**HDS-03D**



Height	Width	Deep	(Inches)
12	8	10	Exterior
11 <sup>3</sup> / <sub>4</sub>	7 <sup>3</sup> / <sub>4</sub>	7	Interior

Weight: **31 lbs.**

(DIAL LOCK)  
**HDS-2014C**



(ELECTRONIC LOCK)  
**HDS-2014E**



(KEY LOCK)  
**HDS-2014K**



OPENED VIEW



Height	Width	Deep	(Inches)
20 <sup>1</sup> / <sub>4</sub>	14	14	Exterior
10 <sup>1</sup> / <sub>2</sub>	13 <sup>1</sup> / <sub>2</sub>	12 <sup>1</sup> / <sub>4</sub>	Interior

Weight: **90 lbs.**

(ELECTRONIC)  
**RH-2014E**



(KEY LOCK)  
**RH-2014K**



(DIAL LOCK)  
**RH-2014C**



OPENED VIEW



Height	Width	Deep	(Inches)
20	14	14	Exterior
12 <sup>3</sup> / <sub>4</sub>	13 <sup>3</sup> / <sub>4</sub>	11 <sup>3</sup> / <sub>10</sub>	Interior

Weight: **93 lbs.**

\*\*More sizes available, go to <http://www.hollonsafe.com>

- B-Rated Heavy Duty Depository Safe.
- 1/2" steel door.
- Internal re-locking devise provides secondary line of defense.
- 4 pre-drilled anchor holes.
- Anti-Fish baffle prevents theft through deposit door.
- Locks and re-locker are protected.
- Drill/Ballistic resistant hardplate.
- Dual re-lockers.

## Put a dead stop to theft or shrinkage – internal or external

Hollon Depository Safes allow companies to regain control of their cash... and are the absolute best choice for a heavy duty commercial environment.

Constructed with solid steel plates welded with continuous welds for all parts of the safe. B Rated and designed for use with armored car services, restaurants, chain stores, convenience stores and government applications.

Comes complete with the Hollon UL Group II lock... designed for high commercial series usage – and lasting up to 300% longer than standard UL listed Group II locks.

**HOLLON**  
SAFE COMPANY

[www.hollonsafe.com](http://www.hollonsafe.com) 1 888 455-2337



# DEPOSITORY SAFES

Put a dead stop to theft or shrinkage – internal or external



With American  
and Global Parts

(DIAL LOCK)  
**RH-2410C**



(ELECTRONIC)  
**RH-2410E**



OPENED VIEW



Height	Width	Deep	(Inches)
<b>24</b>	<b>10</b>	<b>14</b>	Exterior
16 <sup>3</sup> / <sub>4</sub>	9 <sup>3</sup> / <sub>4</sub>	11	Interior
Weight: <b>125 lbs.</b>			

(DIAL LOCK)  
**FD-2714C**



(ELECTRONIC LOCK)  
**FD-2714E**



(KEY LOCK)  
**FD-2714K**



OPENED VIEW



Height	Width	Deep	(Inches)
<b>27</b>	<b>14</b>	<b>14</b>	Exterior
18	13 <sup>1</sup> / <sub>2</sub>	11	Interior
Weight: <b>115 lbs.</b>			

(ELECTRONIC)  
**3D-2820MM-EE**



(DIAL LOCK)  
**3D-2820MM-CC**



(KEY/ELEC LOCK)  
**3D-2820MM-KE**



Height	Width	Deep	(Inches)
<b>28</b>	<b>20</b>	<b>17</b>	Exterior
Top/Bottom	19 <sup>5</sup> / <sub>8</sub>	13 <sup>1</sup> / <sub>4</sub>	Interior
Weight: <b>220 lbs.</b>			

(DIAL LOCK)  
**FD-3020C**



(ELECTRONIC)  
**FD-3020E**



Height	Width	Deep	(Inches)
<b>30</b>	<b>20</b>	<b>20</b>	Exterior
19 <sup>3</sup> / <sub>4</sub>	18	17	Interior
Weight: <b>175 lbs.</b>			
Cubic Feet <b>3.65</b>			

\*\*More sizes available, go to <http://www.hollonsafe.com>

- B-Rated Heavy Duty Depository Safe.
- 1/2" steel door.
- Internal re-locking device provides secondary line of defense.
- 4 pre-drilled anchor holes.
- Anti-Fish baffle prevents theft through deposit door.
- Locks and re-locker are protected.
- Drill/Ballistic resistant hardplate.
- Dual re-lockers.

## Put a dead stop to theft or shrinkage – internal or external

Hollon Depository Safes allow companies to regain control of their cash... and are the absolute best choice for a heavy duty commercial environment.

Constructed with solid steel plates welded with continuous welds for all parts of the safe. B Rated and designed for use with armored car services, restaurants, chain stores, convenience stores and government applications.

Comes complete with the Hollon UL Group II lock... designed for high commercial series usage – and lasting up to 300% longer than standard UL listed Group II locks.



# DEPOSITORY SAFES

Put a dead stop to theft or shrinkage – internal or external



With American  
and Global Parts

(DIAL LOCK)  
**FD-3020CC**



(ELECTRONIC)  
**FD-3020EE**



(KEY/ELEC LOCK)  
**FD-3020EK**



OPENED VIEW



Height	Width	Deep	(Inches)
<b>30</b>	<b>20</b>	<b>20</b>	Exterior
8 1/4	19 3/4	17	Top/Bottom
Weight: <b>180 lbs.</b>			
Cubic Feet <b>3.6</b>			

(DIAL LOCK)  
**FD-3020CILK**



(ELECTRONIC)  
**FD-3020EILK**



Height	Width	Deep	(Inches)
<b>30</b>	<b>20</b>	<b>20</b>	Exterior
12 1/4	11 3/4	16 7/8	Interior
4 3/8	19 3/4	16 1/8	Lock Box
Weight: <b>180 lbs.</b>			



(DIAL LOCK)  
**FD-4020C**



(ELECTRONIC)  
**FD-4020E**



Height	Width	Deep	(Inches)
<b>40</b>	<b>20</b>	<b>20</b>	Exterior
27 1/8	19 3/4	16	Interior
Weight: <b>248 lbs.</b>			



(DIAL LOCK) (ELECTRONIC)  
**FD-4020CILK FD-4020EILK**



Height	Width	Deep	(Inches)
<b>40</b>	<b>20</b>	<b>20</b>	Exterior
19 5/8	19 3/4	16	Interior
9 3/4	19 1/2	15 1/4	Lock box
Weight: <b>258 lbs.</b>			



(2X DIAL LOCK) (2X ELECTRONIC)  
**FD-4020CC FD-4020EE**



Height	Width	Deep	(Inches)
<b>40</b>	<b>20</b>	<b>20</b>	Exterior
11 1/8	19 3/4	16	Top
15 1/2	19 3/4	16	Bottom
Weight: <b>258 lbs.</b>			



\*\*More sizes available, go to <http://www.hollonsafe.com>

- B-Rated Heavy Duty Depository Safe.
- 1/2" steel door.
- Internal re-locking devise provides secondary line of defense.
- 4 pre-drilled anchor holes.
- Anti-Fish baffle prevents theft through deposit door.
- Locks and re-locker are protected.
- Drill/Ballistic resistant hardplate.
- Dual re-lockers.

## Put a dead stop to theft or shrinkage – internal or external

Hollon Depository Safes allow companies to regain control of their cash... and are the absolute best choice for a heavy duty commercial environment.

Constructed with solid steel plates welded with continuous welds for all parts of the safe. B Rated and designed for use with armored car services, restaurants, chain stores, convenience stores and government applications.

Comes complete with the Hollon UL Group II lock... designed for high commercial series usage – and lasting up to 300% longer than standard UL listed Group II locks.

**HOLLON**  
SAFE COMPANY

[www.hollonsafe.com](http://www.hollonsafe.com) 1 888 455-2337

# FLOOR SAFES

You'll need a jackhammer to pry these loose.



With American  
and Global Parts

(DIAL LOCK)

## B-1500



Height	Width	Deep	(Inches)
<b>14<sup>9</sup>/<sub>10</sub></b>	<b>13<sup>1</sup>/<sub>2</sub></b>	<b>11<sup>4</sup>/<sub>5</sub></b>	Exterior
12 <sup>9</sup> / <sub>10</sub>	10 <sup>9</sup> / <sub>10</sub>	6 <sup>9</sup> / <sub>10</sub>	Interior

Weight: **79 lbs.**

(DIAL LOCK)

## B-2500



Height	Width	Deep	(Inches)
<b>14<sup>9</sup>/<sub>10</sub></b>	<b>13<sup>1</sup>/<sub>2</sub></b>	<b>17<sup>1</sup>/<sub>2</sub></b>	Exterior
12 <sup>9</sup> / <sub>10</sub>	10 <sup>9</sup> / <sub>10</sub>	11 <sup>3</sup> / <sub>10</sub>	Interior

Weight: **93 lbs.**

(DIAL LOCK)

## B-3500



Height	Width	Deep	(Inches)
<b>18</b>	<b>13<sup>1</sup>/<sub>2</sub></b>	<b>23<sup>1</sup>/<sub>2</sub></b>	Exterior
16 <sup>1</sup> / <sub>2</sub>	13	23	Interior

Weight: **140 lbs.**



1/2" Thick plate  
on door



Drill resistant



With American  
and Global Parts

- B Rated Floor Safe for foundations.
- 1/2" thick solid steel door.
- Spring loaded re-locking device.
- Full length dead bar.
- Powder coated for more durable protection.
- U.L. listed Group II lock, with re-locker to protect against burglary attempts.
- 5 chrome plated solid steel locking bolts.
- Air-spring bar enable the door can be opened easily.
- Drill resistant hardplate to protect lock.

### You'll need a jackhammer to pry these loose.

Floor Safes offer the added advantage of concealment. Once installed in concrete and covered with a rug or carpet, they are near impossible to find. If the safe is found, it will literally take a jack hammer to wrest it out of the foundation.

And the door is reinforced with drill-resistant hard plate made of hardened steel. You can't buy a drill or drill bit at your local hardware store that will even scratch the surface.

That's why these bad boys are our favorite high-security safes for gold coins, jewelry, paperwork, and a variety of other valuables. B Rated and strong enough to use in a commercial environment but still affordable enough to install at home. We also install one of our UL listed Group II high usage Hollon dials at no additional charge – to give you decades of problem-free usage.

# ONE-HOUR DATA SAFES

Protect your most sensitive and valuable information!

(ELECTRONIC LOCK)

## HDS-500E



Height	Width	Deep	(Inches)
$17\frac{5}{7}$	20	$25\frac{1}{2}$	Exterior
$11\frac{2}{3}$	14	13	Interior
Weight: <b>242 lbs.</b>			
Cubic Feet <b>1.23</b>			

(ELECTRONIC LOCK)

## HDS-750E



Height	Width	Deep	(Inches)
$17\frac{5}{7}$	20	$25\frac{1}{2}$	Exterior
$11\frac{2}{3}$	14	13	Interior
Weight: <b>242 lbs.</b>			
Cubic Feet <b>1.23</b>			

(ELECTRONIC LOCK)


## HDS-1000E



Height	Width	Deep	(Inches)
$36\frac{1}{2}$	$23\frac{5}{8}$	21	Exterior
25	$12\frac{3}{4}$	$9\frac{1}{4}$	Interior
Weight: <b>535 lbs.</b>			
Cubic Feet <b>1.23</b>			



**30ft**  
impact  
rated



- Maintains an internal temperature of 125° F for a full hour.
- 30-foot-impact rated to survive a two-story fall, should a structure collapse in a fire.
- Fire rating- 1832°F outside, 125°F interior.
- Electronic Digital lock.
- Protects against sprinklers, water and humidity.

You couldn't ask for more protection from a data safe.

### Protect your most sensitive and valuable information!

Temperatures above 125° F will ruin electronic data items. These Data Safes are the perfect solution for protecting flash drives, CDs, diskettes tapes or other technology ... while keeping them in secure storage.

**HOLLON**  
SAFE COMPANY


www.hollonsafe.com 1 888 455-2337






# BLACK HAWK

SERIES GUN SAFE



\*Images with real constrain proportions



1. 1 Hour Fire Resistance.
2. 10 gauge steel thickness
3. 14 MASSIVE bolts 1.5 inches thick (BHS-12 Comes with 10 Bolts).
4. Intumescent Door Seal to seal out smoke and flames in case of fire.
5. Life time warranty against fire and burglary.
6. Black Chrome Hardware.
7. UL listed Group I electronic lock from Securam

8. Deluxe Plush Interior
9. UL listed fire resistant electronic outlet with plugs and USB ports
10. Optional Light Kit with Motion Sensor.
11. Drill/Ballistic resistant hard plate
12. Heavy duty canvas Pocket door organizer
13. Fully adjustable gun racking interior
- Light Kit Upgrade Included





# TL-15 GUN SAFE

This is one of the only TL-15 rated GUN Safes on the market



(GUN SAFE)

## TL-15

Height	Width	Deep	(Inches)
63	33	26 1/2	Exterior
58	26	18 1/2	Interior

Weight: **2 380 lbs.**

**EMP SERIES GUN VAULT**



With American  
and Global Parts



- UL Listed TL-15 Customized Vault for Guns
- 2 Hour Fire Rated
- FIRE & BURGLARY LIMITED WARRANTY
- Holds up to 23 Rifles, 3 side by side barrel shotguns, and 6 pistols (with room left for ammunition)
- Adjustable Furniture Grade Birch Interior rated for heavy load capacity.
- (16) 1.5 inch chrome bolts.
- Comes Standard Locks UL Listed Group II-M anti-manipulative lock. (as seen in picture) (additional options available)

- Glass Re-locker
- Hard plate throughout (Interior Wall Design Hard Plate Cage. For maximum power tool resistance.)
- Bolt down hole
- High Density High Compression Rated Concrete used as Fire resistance and power tool resistance.
- Choice of 4 Colors Black, White, Forrest Green, and Burgundy.
- Includes Free Hollon Pocket Door Organizer for pistols and ammunition (Upgraded Custom Leather and Canvas PDO available for additional cost)

**HOLLON**  
SAFE COMPANY

www.hollonsafe.com 1 888 455-2337



# REPUBLIC GUN SAFES

Take gun security to a whole new level




## RG-12

Height	Width	Deep	(Inches)
59	22	16	Exterior
56	19 1/2	10	Interior

Weight: **400 lbs.**  
Cubic Feet **7**

### COMPARE INDUSTRY AND HOLLON BOLT SIZES



## RG-22

Height	Width	Deep	(Inches)
59	30	24	Exterior
56	27 1/2	19	Interior

Weight: **242 lbs.**  
Cubic Feet **16.93**



With American and Global Parts

- Torch Resistant Fire Rated for 90 mins of Protection at 1400°F. Except model RG-12 remains at 1 Hour.
- Far Exceeds California Department of Justice Regulatory Standards for Residential Security Containers
- (7) 1 1/2" Active Chrome Plated Solid Steel Live Locking Bolts
- (3) 1 1/2" Fixed Locking Bolts on Hinge Side
- (3) Way Active Locking bolts with Coverage on All 4 Sides of the Door
- Drill/Balistic Resistant Armored Ball Bearing Hard Plate to Protect Lock
- Active Spring Loaded Re-Locker to Prevent Punch Attacks
- 1/4" Solid Steel Plate Added to the Entire Door for Pry Bar Resistance
- Heat Activated Expandable Intumescent Door Seal Designed to Seal out Smoke and Water

- High Gloss Twin Stage Automotive Paint Finish Available In Colors
- Upgrade Chrome Plated Package
- Ultra Plush Fully Adjustable Interior Racking
- (1) Full Length Adjustable/Removable Shelf Reinforced with Steel Beams for Maximum Weight Capacity
- Top Shelf Designed to Accomodate Long Guns
- (3) Small Adjustable/Removable Shelves
- Removable Gun Rack
- Newly Designed Pocket Door Organizer
- (4) Pre-Drilled Anchor Holes (mounting hardware not included)
- Choice of 4 Colors Black, White, Forrest Green, and Burgundy



# REPUBLIC GUN SAFES

Take gun security to a whole new level




## RG-39

Height	Width	Deep	(Inches)
59	39	24	Exterior
56	36½	19	Interior
Weight: <b>775 lbs.</b>			
Cubic Feet <b>22.5</b>			




## RG-42


Height	Width	Deep	(Inches)
72	42	28	Exterior
68¾	39¾	20¼	Interior
Weight: <b>1 012 lbs.</b>			
Cubic Feet <b>32.5</b>			



**ANTI-PRY U CHANNEL**



**U SHAPE ANTI-PRY BOLT PROTECTOR**



With American  
and Global Parts

- Torch Resistant Fire Rated for 90 mins of Protection at 1400°F. Except model RG-12 remains at 1 Hour.
- Far Exceeds California Department of Justice Regulatory Standards for Residential Security Containers
- (7) 1 1/2" Active Chrome Plated Solid Steel Live Locking Bolts
- (3) 1 1/2" Fixed Locking Bolts on Hinge Side
- (3) Way Active Locking bolts with Coverage on All 4 Sides of the Door
- Drill/Balistic Resistant Armored Ball Bearing Hard Plate to Protect Lock
- Active Spring Loaded Re-Locker to Prevent Punch Attacks
- 1/4" Solid Steel Plate Added to the Entire Door for Pry Bar Resistance
- Heat Activated Expandable Intumescent Door Seal Designed to Seal out Smoke and Water

- High Gloss Twin Stage Automotive Paint Finish Available In Colors
- Upgrade Chrome Plated Package
- Ultra Plush Fully Adjustable Interior Racking
- (1) Full Length Adjustable/Removable Shelf Reinforced with Steel Beams for Maximum Weight Capacity
- Top Shelf Designed to Accomodate Long Guns
- (3) Small Adjustable/Removable Shelves
- Removable Gun Rack
- Newly Designed Pocket Door Organizer
- (4) Pre-Drilled Anchor Holes (mounting hardware not included)
- Choice of 4 Colors Black, White, Forrest Green, and Burgundy

**HOLLON**  
SAFE COMPANY

www.hollonsafe.com 1 888 455-2337



# ELECTRONIC KEYPADS

The new standard in safe locks!



CHROME

BRASS

NICKEL

BLACK  
CHROME

## SAFELOGIC BASIC

- 2 Codes: Manager Code and User Code
- 9 Volt Battery powers the system
- 10,000+ openings on a 9 Volt battery
- 4 minute Penalty LockOut upon entry of 4 incorrect codes
- Reset button to set the lock back to factory default
- Standard footprint and mounting pattern, easy retrofit for any mechanical or electronic safe lock
- Also available with SureLock Battery Compartment for easy Battery replacement, without removing the entrypad from the safe door.
- Can be paired with any other SecuRam motorized safe lock bodies. Must be paired with EL-0601 for UL.



CHROME

BRASS

NICKEL

BLACK  
CHROME

## PROLOGIC L SERIES

- 30 codes: 1 Super Code, 2 Manager Codes, and 27 user codes
- 500 event audit trail can be viewed on-screen
- Wireless Audit Download to Wireless Link
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes – selectable
- OTC Recovery code can be used to reset the controller to factory default
- Single or Dual Control Modes
- Dual Mode Group – set some users in Dual Mode
- Auto DayLight Savings Time
- Ability to choose to Obfuscate Code upon entry
- EntryPad can control up to 4 locks with programmable lock sequence
- Supports single user mode and dual user mode
- Duress mode with programmable shift feature
- Can be paired with any SecuRam Lock: SwingBolt, DeadBolt, SpringBolt and StrikeBolt
- SureLock Battery Management and AC Power optional



CHROME

BRASS

NICKEL

BLACK  
CHROME

## SCANLOGIC SWIPE

- Fast 2 second fingerprint access
- Enroll up to (10) Fingerprints
- 10 digit Administrator code or Administrator fingerprint is used for access and to authorize additional fingerprint enrollments
- Uses semiconductor swipe fingerprint authentication for fast and reliable service
- Audio/Video signals makes programming easy
- 4,000+ openings on a 9 Volt battery (AC Power optional)
- Standard footprint and mounting pattern, easy retrofit for any mechanical or electronic safe lock
- Can be paired with any SecuRam Lock: SwingBolt, DeadBolt, SpringBolt and StrikeBolt



CHROME

BRASS

NICKEL

BLACK  
CHROME

## SAFELOGIC EXTREME Bluetooth

- 2 Codes: Manager Code and User Code PLUS SpinDial Combination
- EntryPad is BackLit. Press any button and the Backlighting activates.
- SpinDial light activates as dial is rotated.
- Instant AutoLock feature
- Bluetooth connectivity is optional (Part# EC-1501B)
- 10,000+ openings on a 9 Volt battery
- 4 minute Penalty LockOut upon entry of 4 incorrect codes
- Rugged Stainless Steel EntryPad Housing
- Standard footprint and mounting pattern, easy retrofit for any mechanical or electronic safe lock
- Note for Left Handed bolt motion, please order the LH Adaptor Part #: XLHA-1501



# ELECTRONIC KEYPADS

The new standard in safe locks!

## SPARTAN PIVOTBOLT



- Underwriters Laboratories Listed Type 1, VdS Class 2, EN1300 B, A2P B/E, DNV, and RoHS (Reduction of Hazardous Substances) compliant.
- The Spartan™ PivotBolt™ lock features a motor driven locking mechanism for an extra measure of security and longer battery life.
- Lock bolt retraction and extension is controlled by the movement of the safe's boltwork.
- The Spartan™ PivotBolt™ automatically locks to re-secure the safe whenever the container's boltwork moves to the fully closed position, discouraging the common (non-secure) practice of day-locking.
- The Spartan™ PivotBolt™ is connected to the keypad only by cable, which means the lock does not need to be placed directly behind the keypad. It can be located anywhere on the inside of the safe door.
- All PivotBolt models use the standard S&G Magic Module footprint, allowing for easy retrofit without the need for boltwork or mounting screw location changes. Plus, it's universally handed and reversible for RH, LH, VU, and VD mounting.
- Two modes of operation, STAR and BASIC, to let you choose the operating procedures that are most intuitive to you.
- Management reset code, one master code, and one user code that can be quickly enabled or disabled by the master code. The management reset code (MRC) lets you set a new master code of your own choosing if the old master code is lost or forgotten.
- The Spartan™ PivotBolt™ has a penalty time feature to prevent opening by entering sequential or random codes until a valid code is found.
- The keypad sounder (beeper) can be tuned on or off by entering a simple keypad command.
- All programming is quickly and easily done via the keypad (no separate programming equipment required).
- The lock bolt withstands 225 lbs. (1000 newtons) of bolt end pressure for a high level of security in boltwork blocking applications.
- Can be used with the S&G 2-battery keypad, standard 1-battery keypad (standard or lighted), or the non-rotating low profile keypad.

## 6120 SERIES



- Underwriters Laboratories Listed Type 1, and RoHS (Reduction of Hazardous Substances) compliant.
- A motor-driven lock bolt offers a high level of security by eliminating the threat of vibration and bouncing attacks.
- Management reset code, one master code, and eight user codes.
- Management reset code (MRC) restores the lock to its original factory code if the master code is lost.
- Time delay up to 9 minutes.
- The 6120 Series incorporates a penalty time feature to prevent opening by entering sequential or random codes until a valid code is found.
- The deadlocking square bolt model withstands 225 lbs. (1000 newtons) of bolt end pressure for a high level of security and durability in boltwork blocking applications.
- Non-deadlocking spring bolt model is designed for lightweight and inner compartment doors that require the lock to latch and secure the door.
- Can be used with the Biometric Keypad, 2-battery keypad, standard 1-battery keypad (lighted and non-lighted), and the low profile keypad.

## TITAN PIVOTBOLT



- Underwriters Laboratories Listed Type 1, VdS Class 2, CEN B, A2P B, DNV, and RoHS (Reduction of Hazardous Substances) compliant.
- The Titan PivotBolt™ lock features a new design, motor driven locking mechanism for an extra measure of security and longer battery life.
  - Lock bolt retraction and extension is controlled by the movement of the safe's boltwork.
  - The Titan PivotBolt™ automatically locks to re-secure the safe whenever the container's boltwork moves to the fully closed position, discouraging the common (non-secure) practice of day-locking.
  - The Titan PivotBolt™ is connected to the keypad only by cable, which means the lock does not need to be placed directly behind the keypad. It can be located anywhere on the inside of the safe door.
  - S&G Magic Module footprint for easy retrofit, and it's universally handed and reversible for RH, LH, VU, and VD mounting.
  - Three modes of operation: Multi-User, Manager/Employee, Dual Control.
  - Management reset code, one master code, one supervisor code, eight user codes, and one time delay override code\*. The management reset code (MRC) lets you set a new master code of your own choosing if the old master code is lost or forgotten.
  - The Titan PivotBolt™ has a penalty time feature to prevent opening by entering sequential or random codes until a valid code is found.
  - All programming is quickly and easily done via the keypad (no separate programming equipment required).
  - The lock bolt model withstands 225 lbs. (1000 newtons) of bolt end pressure for a high level of security in boltwork blocking applications.
  - Can be used with the S&G 2-battery keypad, standard 1-battery keypad (lighted and non-lighted), or the non-rotating low profile keypad.

# DIAL LOCKS

The new standard in safe locks!

## SARGENT AND GREENLEAF GROUP 2M MECHANICAL SAFE LOCKS



## SARGENT AND GREENLEAF DIALS AND RINGS

D300/R211



front reading, large knob, non-key locking

D225/R167  
SATIN CHROME



Spy-Proof®, large knob, key locking

D225/R167  
B&W




Spy-Proof®, large knob, key locking

- Three brass and aluminum combination wheels provide 1,000,000 theoretical combinations.
- Designed and constructed to perform in the most demanding commercial applications.
- Internal relock trigger secures the lock in the event of a burglar's punch attack.
- Four-way drive cam allows mounting right-hand, left-hand, vertical-up, or vertical-down.

- All dial and rings pictured above and listed in the table directly below can be used with any Group 2 or Group 2M-type lock.
- All dials incorporate spindles splined to 41 on the dial. This results in a forbidden zone of 90 to 10 in Group 2 and Group 2M combination locks.

## BIG RED SAFE LOCKS



- All dial and rings pictured above and listed below can be used with any Group 2 or Group 2M Lock Models.
- All dial and rings can be mixed to create different color finish combinations.
- All dials and rings on this page are made from die casted zinc material.
- Optional Black Plastic Ring. Order R6000
- The Dial with Ring; sits approximately 1-3/8" [34.9mm] off the door with a 3-3/4" [95.25mm] O.D.
- All dials on this page incorporate a solid, machined brass spindle with a standard spindle length of approximately 4-1/8" [104.8mm] from the underside of the dial ring. Dials with longer spindles are available as a special order item.
- All dials on this page incorporate spindles splined to 41 on the dial. This results in a forbidden zone of 90 to 10. Special Order dials with spindles splined to 50 on the dial will result in a forbidden zone of 0 to 20.
- Finishes, spindle lengths, and spindle splining locations other than those listed can be special ordered.

RUBBER GRIP – SPY-GUARD  
**D6000 SERIES**



SPY - GUARD  
**D6100 SERIES**



RUBBER GRIP – FRONT READ  
**D7000 SERIES**



FRONT READ  
**D7100 SERIES**



SMALL DIAMETER  
**D7200 SERIES**



LOW PROFILE  
**D7300 SERIES**





# PARTS LIST

## JEWELRY DRAW

with under shelf mounting hardware



## SAFE MOVING EQUIPMENT

### FM-180A

This Equipment is rated to hold **3000 lbs**

Two transport units with hydraulic lift  
Strap length 15 feet.

Warranty: **1 year**



## RECHARGEABLE MINI DEHUMIDIFIER



## LIGHT KIT WITH MOTION SENSOR



## ADDITIONAL SHELVING AVAILABLE:

Two Hour Office Safes  
Two Hour Fire & Burglary Safes  
Republic Gun Safes  
Reserve Gun Safes

**HOLLON**  
SAFE COMPANY

www.hollonsafe.com 1 888 455-2337

# HOLLON

SAFE COMPANY

227 44th Street  
Corpus Christi, TX, 78405  
Hours: Mon.-Fri., 8:30am-5:30pm CT  
Phone: (888) 455-2337  
Fax number: (866) 408-7303

*Due to possible printing errors, please call or check website for exact measurements and new models.*